Printing date 09/16/2015 Reviewed on 06/02/2015

### 1 Identification

· Product identifier

· Trade name: AR-20

· Article number: AR-20

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Chemical Consultants Inc. 1850 Wild Turkey Circle Corona, CA 92880

USA

+1 (951) 735-5511 ncollins@ccidom.com

- · Information department: Product safety department
- · Emergency telephone number: INFOTRAC 1-800-535-5053

#### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS08 Health hazard

Muta. 1B H340 May cause genetic defects.

Carc. 1B H350 May cause cancer.

STOT RE 1 H372 Causes damage to the central nervous system through prolonged or repeated exposure.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

02 GHS07

· Signal word Danger

· Hazard-determining components of labeling:

2-(propyloxy)ethanol

(Contd. on page 2)

Printing date 09/16/2015 Reviewed on 06/02/2015

Trade name: AR-20

(Contd. of page 1)

Stoddard solvent

citrus terpene

Solvent naphtha (petroleum), light arom.

#### · Hazard statements

H226 Flammable liquid and vapor.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H340 May cause genetic defects.

H350 May cause cancer.

H372 Causes damage to the central nervous system through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.

· Precautionary s	tatements
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P280	Wear protective gloves / eye protection / face protection.
P240	Ground/bond container and receiving equipment.
P233	Keep container tightly closed.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing must not be allowed out of the workplace.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
D201 D210	TE CHALL OWED I I' I II DOLGON CENTED / I

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Specific treatment (see on this label). Wash contaminated clothing before reuse.

P308+P313 IF exposed or concerned: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

P330 Rinse mouth.

P331 Do NOT induce vomiting.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray. P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

Store in a well-ventilated place. Keep cool. P403+P235

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### · Classification system:

#### · NFPA ratings (scale 0 - 4)



P321 P363

> Health = 1Fire = 2Reactivity = 0

> > (Contd. on page 3)

Printing date 09/16/2015 Reviewed on 06/02/2015

Trade name: AR-20

· HMIS-ratings (scale 0 - 4)

(Contd. of page 2)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description:

Mixture of the substances listed below with nonhazardous additions.

Component names which have the word (contaminant) are constituents in Aromatic hydrocarbon ingredients and are an integral part of the ingredient and cannot be separated. The percentage listed for the contaminant is as contained in the Hydrocarbon ingredient. Example: 100% hydrocarbon, 10% Contaminant A, 3% Contaminant B

· Dangerous components:		
8052-41-3	-41-3 Stoddard solvent	
2807-30-9	2-(propyloxy)ethanol	20-40%
	94266-47-4 citrus terpene	
	2-butoxyethanol	10-20%
	64742-95-6 Solvent naphtha (petroleum), light arom.	
95-63-6	5-63-6 1,2,4-trimethylbenzene (contaminant)	
	7 2-Ethyl Hexanol EO-PO Nonionic Surfactant	
	108-67-8 mesitylene (contaminant)	
98-82-8	cumene (contaminant)	<1%

### 4 First-aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

*In case of unconsciousness place patient stably in side position for transportation.* 

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 4)

Printing date 09/16/2015 Reviewed on 06/02/2015

Trade name: AR-20

(Contd. of page 3)

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: For large spills: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

 $\cdot$  *Specific end use*(s) *No further relevant information available.* 

### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)

Printing date 09/16/2015 Reviewed on 06/02/2015

Trade name: AR-20

(Contd. of page 4)

· Control parameters				
· Components with limit values that require monitoring at the workplace:				
8052	8052-41-3 Stoddard solvent			
PEL	Long-term value: 2900 mg/m³, 500 ppm			
REL	Long-term value: 350 ppm Ceiling limit value: 1800* mg/m³ *15-min			
TLV	Long-term value: 525 mg/m³, 100 ppm			
111-	76-2 2-butoxyethanol			
PEL	Long-term value: 240 mg/m³, 50 ppm Skin			
REL	Long-term value: 24 mg/m³, 5 ppm Skin			
TLV	Long-term value: 97 mg/m³, 20 ppm BEI			
95-6.	95-63-6 1,2,4-trimethylbenzene (contaminant)			
REL	Long-term value: 125 mg/m³, 25 ppm			
TLV	Long-term value: 123 mg/m³, 25 ppm			
108-	67-8 mesitylene (contaminant)			
REL	Long-term value: 125 mg/m³, 25 ppm			
TLV	Long-term value: 123 mg/m³, 25 ppm			
· Ingr	edients with biological limit values:			
111-	11-76-2 2-butoxyethanol			
BEI	200 mg/g creatinine			
	Medium: urine			
	Time: end of shift			
	Parameter: Butoxyacetic acid with hydrolysis			

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 6)

Printing date 09/16/2015 Reviewed on 06/02/2015

Trade name: AR-20

(Contd. of page 5)

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Partition coefficient (n-octanol/water): Not determined.

ODI	. 7	7 7 .	7
y Physi	ical and	l chemico	l properties
- I I I I I I I I I I I I I I I I I I I	CUL CUITO	v CIVCIIIVCC	v pi opei wes

2 Inflation and electrical properties		
Information on basic physical and chemical properties General Information Appearance:		
Form:	Fl: 1	
	Fluid	
Color:	According to product specification	
· Odor:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	173 °C (343 °F)	
· Flash point:	51 °C (124 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	230 °C (446 °F)	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.	
· Explosion limits:		
Lower:	1.1 Vol %	
Upper:	23.3 Vol %	
· Vapor pressure at 20 °C (68 °F):	3 hPa (2 mm Hg)	
Density at 20 °C (68 °F):	0.8587 g/cm³ (7.166 lbs/gal)	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
<u> </u>		
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
···		

(Contd. on page 7)

Printing date 09/16/2015 Reviewed on 06/02/2015

Trade name: AR-20

(Contd. of page 6) · Viscosity: Dynamic: Not determined. Not determined. Kinematic: · Solvent content: **VOC** content: 760.0 g/l / 6.34 lb/gl No further relevant information available. · Other information

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

94266-47-	4 citrus ter	citrus terpene	
Oral	LD50	>5000 mg/kg (rabbit)	
Dermal	LD50	>5000 mg/kg (rabbit)	
111-76-2	2-butoxyetl	hanol	
Oral	LD50	1480 mg/kg (rat)	
Dermal	LD50	400 mg/kg (rab)	
64742-95-6 Solvent naphtha (petroleum), light arom.			
Oral	LD50	>6800 mg/kg (rat)	
Dermal	LD50	>3400 mg/kg (rab)	
Inhalative	LC50/4 h	>10.2 mg/l (rat)	
<i>95-63-6 1</i> ,	2,4-trimeth	nylbenzene (contaminant)	
Oral	LD50	5000 mg/kg (rat)	

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International	l Agency for	r Research on	Cancer)
-----------------------	--------------	---------------	---------

111-76-2 2-butoxyethanol

(Contd. on page 8)

Printing date 09/16/2015 Reviewed on 06/02/2015

Trade name: AR-20

		(Contd. of page 7)
1330-20-7	xylene (contaminant)	3
98-82-8	cumene (contaminant)	2B
· NTP (Nat	ional Toxicology Program)	
98-82-8 c	umene (contaminant)	R
· OSHA-Ca	(Occupational Safety & Health Administration)	
None of th	e ingredients is listed.	

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity:

#### 94266-47-4 citrus terpene

EC50 (static) 0.36 mg/kg (daphnia)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Harmful to aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of content and/or container in accordance with local, regional, national and/or international regulations.

- · Uncleaned packagings:
- · Recommendation:

Dispose of content and/or container in accordance with local, regional, national and/or international regulations

· UN-Number	
·DOT	NOT DOT REGULATED FOR DOMESTIC GROUN. TRANSPORTATION
· IMDG, IATA	UN1993
· UN proper shipping name	
· IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (citrus terpene, Stoddard solvent)

\_\_ u

Printing date 09/16/2015 Reviewed on 06/02/2015

Trade name: AR-20

	(Contd. of pa
Transport hazard class(es)	
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group	
IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	30
EMS Number:	<i>F-E</i> , <u><i>S-E</i></u>
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
<i>IMDG</i>	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUIDS, N.O.S. (CITRUS TERPE)
-	

STODDARD SOLVENT), 3, III

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Suru
· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

111-76-2 2-butoxyethanol

95-63-6 1,2,4-trimethylbenzene (contaminant)

1330-20-7 xylene (contaminant)

98-82-8 cumene (contaminant)

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

This product contains a chemical known to the state of California to cause cancer

98-82-8 cumene (contaminant)

(Contd. on page 10)

Printing date 09/16/2015 Reviewed on 06/02/2015

Trade name: AR-20

Contd. of page 9)

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Envi	· EPA (Environmental Protection Agency)		
111-76-2	2-butoxyethanol	NL	
1330-20-7	xylene (contaminant)	I	
98-82-8	cumene (contaminant)	D, CBI	
· TLV (Thre	· TLV (Threshold Limit Value established by ACGIH)		
	2-butoxyethanol	A.	
1330-20-7	xylene (contaminant)	$A_{-}$	
· NIOSH-Ca	NIOSH-Ca (National Institute for Occupational Safety and Health)		
None of the	None of the ingredients is listed.		

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS07

CHSOS

- · Signal word Danger
- · Hazard-determining components of labeling:

2-(propyloxy)ethanol

Stoddard solvent

citrus terpene

Solvent naphtha (petroleum), light arom.

· Hazard statements

H226 Flammable liquid and vapor.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H340 May cause genetic defects.

H350 May cause cancer.

H372 Causes damage to the central nervous system through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.

### · Precautionary statements

2.0000000000000000000000000000000000000	
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P280	Wear protective gloves / eye protection / face protection.
P240	Ground/bond container and receiving equipment.
P233	Keep container tightly closed.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.

(Contd. on page 11)

Printing date 09/16/2015 Reviewed on 06/02/2015

Trade name: AR-20

	(Contd. of page 10)
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing must not be allowed out of the workplace.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P361+P35.	3 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P33	8 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321	Specific treatment (see on this label).
P363	Wash contaminated clothing before reuse.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P314	Get medical advice/attention if you feel unwell.
P330	Rinse mouth.
P331	Do NOT induce vomiting.
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Chemical safety a	ssessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Mr. Collins
- · Date of preparation / last revision 09/16/2015 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Muta. 1B: Germ cell mutagenicity, Hazard Category 1B

Carc. 1B: Carcinogenicity, Hazard Category 1B

STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1

Asp. Tox. 1: Aspiration hazard, Hazard Category 1