



Light Navy

SDS Number: 1150

Revision Date: 6/15/2017

Page 1 of 5

1	<b>PRODUCT AND COMPANY IDENTIFICATION</b>
---	---

### Manufacturer

Triangle Ink Inc.  
53-57 Van Dyke Street  
Wallington, New Jersey 07057

**Contact:** Bob Smith  
**Phone:** 201935-2777  
**Fax:** 201 935-5961  
**Email:** bob@triangleink.com  
**Web:** www.triangleink.com

2	<b>HAZARDS IDENTIFICATION</b>
---	-------------------------------

### Classification of the substance or mixture

**GHS Classification in accordance with 29 CFR 1910 (OSHA HCS):**  
no GHS classifications indicated

### GHS Label elements, including precautionary statements

**GHS Signal Word:** **NONE**

no GHS pictograms indicated for this product

**GHS Hazard Statements:**

no GHS hazards statements indicated

**GHS Precautionary Statements:**

no GHS precautionary statements indicated

### Hazards not otherwise classified (HNOC) or not covered by GHS

**Route of Entry:** Eyes; Inhalation;  
**Target Organs:** Lungs;  
**Inhalation:** Can cause irritation and inflammation of the respiratory tract.  
**Skin Contact:** May cause irritation.  
**Eye Contact:** May cause irritation.  
**Ingestion:** Ingestion is not an applicable route of entry for intended use.

Light Navy

SDS Number: 1150

Revision Date: 6/15/2017

Page 2 of 5

**3 COMPOSITION/INFORMATION ON INGREDIENTS**

**Ingredients:**

OSHA Regulatory Status:

This MSDS Contains valuable information critical to the safe handling and proper use of this product. This MSDS should be retained and available for employees and other users of this product.

Cas#	%	Chemical Name
6422-86-2	35-40%	1,4-Benzenedicarboxylic acid, bis(2-ethylhexyl) ester
25035-98-7	10-15%	2-Propenoic acid, methyl ester, polymer with chloroethene
9002-86-2	15-20%	Ethene, chloro-, homopolymer
13463-67-7	8-10%	Titanium oxide (TiO2)
134-09-8	10-15%	Cyclohexanol, 5-methyl-2-(1-methylethyl)-, 2-aminobenzoate

**4 FIRST AID MEASURES**

- Inhalation:** If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.
- Skin Contact:** Wash with soap and water.
- Eye Contact:** Flush with large amounts of water.
- Ingestion:** Get prompt, qualified medical attention.

**5 FIRE FIGHTING MEASURES**

- Flash Point:** 470 degrees F
  - Autoignition Temp:** N/A
- Dry powder, foam, carbon dioxide. Wear self contained breathing apparatus and other protective clothing.

**6 ACCIDENTAL RELEASE MEASURES**

Do not discharge into drains.  
Pick up excess with inert absorbant material and place into separate waste container.

**7 HANDLING AND STORAGE**

- Handling Precautions:** Avoid contact with eyes, skin, or clothing. Wash thoroughly after handling. Keep material out of reach of children.
- Storage Requirements:** Keep away from heat, sparks, and flames. Store in cool/dry area.

**8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

- Engineering Controls:** All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94).  
Use mechanical (general) ventilation for storage areas.
- Personal Protective Equipment:** Apron; Dust respirator; Splash goggles; Gloves;

## Light Navy

SDS Number: 1150

Revision Date: 6/15/2017

Page 3 of 5

9

### PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	blue paste	<b>Odor:</b>	faint odor
<b>Physical State:</b>	Liquid	<b>Molecular Formula:</b>	N/A
<b>Particle Size:</b>	N/A	<b>Softening Point:</b>	200C
<b>Viscosity:</b>	between 100,000 - 150,000 cps		

10

### STABILITY AND REACTIVITY

<b>Chemical Stability:</b>	Product is stable under normal conditions.
<b>Conditions to Avoid:</b>	Exposure to excessive heat
<b>Hazardous Decomposition:</b>	Not known.
<b>Hazardous Polymerization:</b>	Will not occur.

11

### TOXICOLOGICAL INFORMATION

The mixture as a whole has not been evaluated for health effects.

12

### ECOLOGICAL INFORMATION

Persistence and degradability: not readily biodegradable

Environmental toxicity: Environmental toxicity has not been determined for this mixture as a whole

Bioaccumulation potential: no data available

Additional advice: no data available

13

### DISPOSAL CONSIDERATIONS

Dispose of properly according to state and Federal regulations.

14

### TRANSPORT INFORMATION

refer to specific regulations

Light Navy

SDS Number: 1150

Revision Date: 6/15/2017

Page 4 of 5

15	<b>REGULATORY INFORMATION</b>
----	-------------------------------

Component (CAS#) [%] - CODES

- 
- 1,4-Benzenedicarboxylic acid, bis(2-ethylhexyl) ester (6422-86-2) [n/a%] TSCA
  - 2-Propenoic acid, methyl ester, polymer with chloroethene (25035-98-7) [n/a%] TSCA
  - Ethene, chloro-, homopolymer (9002-86-2) [n/a%] TSCA
  - Titanium oxide (TiO<sub>2</sub>) (13463-67-7) [n/a%] MASS, OSHAWAC, PA, TSCA, TXAIR
  - Cyclohexanol, 5-methyl-2-(1-methylethyl)-, 2-aminobenzoate (134-09-8) [n/a%] TSCA

Regulatory CODE Descriptions

-----

TSCA = Toxic Substances Control Act  
 MASS = MA Massachusetts Hazardous Substances List  
 OSHAWAC = OSHA Workplace Air Contaminants  
 PA = PA Right-To-Know List of Hazardous Substances  
 TXAIR = TX Air Contaminants with Health Effects Screening Level

R 22 Harmful if swallowed.

R 37/38 Irritating to respiratory system and skin.

- \*1,4-Benzenedicarboxylic acid, bis(2-ethylhexyl) ester (6422862 n/a%) TSCA
- \*2-Propenoic acid, methyl ester, polymer with chloroethene (25035987 n/a%) TSCA
- \*Ethene, chloro-, homopolymer (9002862 n/a%) TSCA
- \*Titanium oxide (TiO<sub>2</sub>) (13463677 n/a%) MASS, OSHAWAC, PA, TSCA, TXAIR
- \*Cyclohexanol, 5-methyl-2-(1-methylethyl)-, 2-aminobenzoate (134098 n/a%) TSCA

REGULATORY KEY DESCRIPTIONS

-----

TSCA = Toxic Substances Control Act

MASS = MA Massachusetts Hazardous Substances List  
 OSHAWAC = OSHA Workplace Air Contaminants  
 PA = PA Right-To-Know List of Hazardous Substances  
 TXAIR = TX Air Contaminants with Health Effects Screening Level



**SDS**

**GHS Safety Data Sheet**

Triangle Ink Inc.

Light Navy

SDS Number: 1150

Revision Date: 6/15/2017

Page 5 of 5

16

**OTHER INFORMATION**

The information provided in this SAFETY DATA SHEET is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safety, handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to specific materials designed and may not be valid for such materials used in combination with any other materials or in any process, unless specified in the text.